

Adaptation for Anonymous Calls

1. Regex Adaptation need to be activated on SM Global Setting
2. Create two Conditions

The screenshot shows a configuration window for a condition named 'ANONYMOUS_Contact'. It features a 'Logical Operator' set to 'AND'. Below are two operand configurations:

- Operand 1:** Source Type: Request-Line, Source: Method, Instance: (empty), Negative: (unchecked), Expression: INVITE, Notes: (empty).
- Operand 2:** Source Type: Header, Source: Contact, Instance: any, Negative: (unchecked), Expression: SWISSCOM_ASM(1|2), Notes: (empty).

and

The screenshot shows a configuration window for a condition named 'ANONYMOUS_Publish'. It features a 'Logical Operator' set to 'OR'. Below are two operand configurations:

- Operand 1:** Source Type: Request-Line, Source: Method, Instance: (empty), Negative: (unchecked), Expression: PUBLISH, Notes: (empty).
- Operand 2:** Source Type: (empty), Source: (empty), Instance: (empty), Negative: (unchecked), Expression: -, Notes: (empty).

3. Create REGEX Adaptation with 2 Entries

The screenshot shows the 'Regular Expression Adaptation Rule Details' configuration for a rule named 'ANONYMOUS_INVITE_incoming'. The condition is set to 'ANONYMOUS_Contact' and the direction is 'Incoming'. The order is set to 2.

Rule Variables:

Variable Name	Source Type	Source	Instance	Match Expression
0 Items				

Rule Actions:

Order	Source Type	Source	Instance	Operation	Match Expression	Replace / Add Expression
1	Header	Contact	any	modify	SWISSCOM_ASM(1 2)	Rufnummer unterdrueckt
2	Header	From	any	modify	\\Anonymous\\(.*?)anonymous\\@an	"Rufnummer unterdrueckt"\${1}***

Select : All, None

From:

<https://wiki.buergi.org/> - **Reto's WIKI**

Permanent link:

<https://wiki.buergi.org/doku.php?id=avaya:asm:anoonymous&rev=1731504537>

Last update: **2026/01/20 22:45**

