

Adaptation for Anonymous Calls

- 1. Regex Adaptation need to be activated on SM Global Setting
- 2. Create two Conditions\\

Commit Cancel

* Condition Name: ANONYMOUS_Contact
 Notes:
 Logical Operator: AND

Operand 1

* Source Type: Request-Line
 * Source: Method
 Instance:
 Negative:
 Expression: INVITE
 Notes:

Operand 2

* Source Type: Header
 * Source: Contact
 * Instance: any
 Negative:
 Expression: SWISSCOM_ASM(1|2)
 Notes:

Commit Cancel

and

Condition Details
General

Commit Cancel

* Condition Name: ANONYMOUS_Publish
 Notes:
 Logical Operator: OR

Operand 1

* Source Type: Request-Line
 * Source: Method
 Instance:
 Negative:
 Expression: PUBLISH
 Notes:

Operand 2

Source Type:
 Source:
 Instance:
 Negative:
 Expression:
 Notes:

Commit Cancel

3. Create REGEX Adaptation with 2 Entries\\

Regular Expression Adaptation Rule Details
General

Done Cancel

* Rule Name: ANOYNMOUS_INVITE_incoming
 Condition: ANONYMOUS_Contact
 * Direction: Incoming
 * Order: 2
 Notes:

Rule Variables

0 Items

Variable Name	Source Type	Source	Instance	Match Expression
---------------	-------------	--------	----------	------------------

Rule Actions

2 Items

Order	Source Type	Source	Instance	Operation	Match Expression	Replace / Add Expression
1	Header	Contact	any	modify	SWISSCOM_ASM(1 2)	Rufnummer unterdrueckt
2	Header	From	any	modify	^Anonymous\.(.*)anonymous\@an	"Rufnummer unterdrueckt" \${1}***

Select : All, None

From:

<https://wiki.buergi.org/> - **Reto's WIKI**

Permanent link:

<https://wiki.buergi.org/doku.php?id=avaya:asm:anonymouse&rev=1731504595>

Last update: **2026/01/20 22:45**

